



10/1/2021

S: 0.00
V:

Always Use The Color# To Find Product Specs & Pricing

\$119 FLAT SHIPPING RATE IF PRODUCTS ARE SHIPPED FROM THE SAME WAREHOUSE

R: 3

#51 DC S. CALIFORNIA Will Call / Within 100 Miles

		Specifications													Warranty		Approved Installations								FOB WH#11	
Color #	SKU#	Status	G R D	Waste Factor	Collection	Species	Type	SF/Box	Wear Layer	Thick	Width	Box WGT	Length	BX / PLT	SF Per PLT	Finish / Structural	Nail	Glue Only	Float	Click	B.G.	R. Heat	Janka	Trm Grp	Term Accounts	CBD Pricing
260 SM-S	NS425SMH-NAT	Active	A	5-7%	MI	Hickory	Solid	19.53	3/16"	3/4"	4.25	61.1	1'-5'	48	937.44	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.97	\$4.82
261 SM-S	NS425SMH-EC	Active	A	5-7%	MI	Hickory	Solid	19.53	3/16"	3/4"	4.25	61.1	1'-5'	48	937.44	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.97	\$4.82
263 SM-S	NS425SMH-SC	Active	A	5-7%	MI	Hickory	Solid	19.53	3/16"	3/4"	4.25	61.1	1'-5'	48	937.44	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.97	\$4.82
264 SM-S	NS425SMH-MC	Active	A	5-7%	MI	Hickory	Solid	19.53	3/16"	3/4"	4.25	61.1	1'-5'	48	937.44	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.97	\$4.82
303 HS-E	V12E6HSH-NAT	Active	A	4-6%	MT	Hickory	Engineered	25.73	2MM	1/2"	6.5	47.0	1.5'-6'	36	926.28	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	No	1780	2	\$3.09	\$3.00
304 HS-E	V12E6HSH-CDR	Active	A	4-6%	MT	Hickory	Engineered	25.73	2MM	1/2"	6.5	47.0	1.5'-6'	36	926.28	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	No	1780	2	\$3.09	\$3.00
305 HS-E	V12E6HSH-MSR	Active	A	4-6%	MT	Hickory	Engineered	25.73	2MM	1/2"	6.5	47.0	1.5'-6'	36	926.28	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	No	1780	2	\$3.09	\$3.00
307 HS-E	V12E6HSH-IRR	Active	A	4-6%	MT	Hickory	Engineered	25.73	2MM	1/2"	6.5	47.0	1.5'-6'	36	926.28	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	No	1780	2	\$3.09	\$3.00
309 HS-E	V12E6HSH-BKR	Active	A	4-6%	MT	Hickory	Engineered	25.73	2MM	1/2"	6.5	47.0	1.5'-6'	36	926.28	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	No	1780	2	\$3.09	\$3.00
340 CS-E	V12SE6CSH-LCF	Active	A	4-6%	MT	Hickory	Engineered	29.53	2MM	1/2"	4 - 5 - 6	49.0	1.5'-6'	32	944.96	25 Year / 25 Year	Yes	Yes	Yes	No	Yes	Yes	1780	2	\$3.64	\$3.53
341 CS-E	V12SE6CSH-APF	Active	A	4-6%	MT	Hickory	Engineered	29.53	2MM	1/2"	4 - 5 - 6	49.0	1.5'-6'	32	944.96	25 Year / 25 Year	Yes	Yes	Yes	No	Yes	Yes	1780	2	\$3.64	\$3.53
342 CS-E	V12SE6CSH-MSF	Active	A	4-6%	MT	Hickory	Engineered	29.53	2MM	1/2"	4 - 5 - 6	49.0	1.5'-6'	32	944.96	25 Year / 25 Year	Yes	Yes	Yes	No	Yes	Yes	1780	2	\$3.64	\$3.53
343 CS-E	V12SE6CSH-RCF	Active	A	4-6%	MT	Hickory	Engineered	29.53	2MM	1/2"	4 - 5 - 6	49.0	1.5'-6'	32	944.96	25 Year / 25 Year	Yes	Yes	Yes	No	Yes	Yes	1780	2	\$3.64	\$3.53
345 CS-E	V12SE6CSH-BFF	Active	A	4-6%	MT	Hickory	Engineered	29.53	2MM	1/2"	4 - 5 - 6	49.0	1.5'-6'	32	944.96	25 Year / 25 Year	Yes	Yes	Yes	No	Yes	Yes	1780	2	\$3.64	\$3.53
352 HS-S	NS5HSH-CC NAT	Active	A	5-7%	VA	Hickory	Solid	22.6	1/4"	3/4"	5	72.0	1'-5'	48	1084.8	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$5.74	\$5.57
355 HS-S	NS5HSH-MSC	Active	A	5-7%	VA	Hickory	Solid	22.6	1/4"	3/4"	5	72.0	1'-5'	48	1084.8	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$5.74	\$5.57
382 HS-E	V38E6HSH-NAT	Active	A	4-6%	ID	Hickory	Engineered	29.53	1.5MM	3/8"	6	41.0	1'-6'	36	1063.1	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	No	1780	2	\$2.69	\$2.61
383 HS-E	V38E6HSH-ATC	Active	A	4-6%	ID	Hickory	Engineered	29.53	1.5MM	3/8"	6	41.0	1'-6'	36	1063.1	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	No	1780	2	\$2.69	\$2.61
384 HS-E	V38E6HSH-GZC	Active	A	4-6%	ID	Hickory	Engineered	29.53	1.5MM	3/8"	6	41.0	1'-6'	36	1063.1	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	No	1780	2	\$2.69	\$2.61
387 HS-E	V38E5HSB-TMC	Active	A	4-6%	ID	Birch	Engineered	36.09	1.5MM	3/8"	5	50.0	1'-4'	36	1299.2	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1260	1	\$2.38	\$2.31
391 HS-E	V38E5HSB-NAT	Active	A	4-6%	ID	Birch	Engineered	36.09	1.5MM	3/8"	5	50.0	1'-4'	36	1299.2	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1260	1	\$2.38	\$2.31
422 HS-E	V12E6HSM-NAT	Active	A	4-6%	MT	Maple	Engineered	26.43	2MM	1/2"	6.5	42.0	1.5'-6'	36	951.48	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1280	2	\$3.40	\$3.29
423 HS-E	V12E6HSM-SSR	Active	A	4-6%	MT	Maple	Engineered	26.43	2MM	1/2"	6.5	42.0	1.5'-6'	36	951.48	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1280	2	\$3.40	\$3.29
425 HS-E	V12E6HSM-RRR	Active	A	4-6%	MT	Maple	Engineered	26.43	2MM	1/2"	6.5	42.0	1.5'-6'	36	951.48	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1280	2	\$3.40	\$3.29
426 HS-E	V12E6HSM-CBR	Active	A	4-6%	MT	Maple	Engineered	26.43	2MM	1/2"	6.5	42.0	1.5'-6'	36	951.48	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1280	2	\$3.40	\$3.29
459 HS-S	NSRWHSB-BVC	Active	A	5-7%	VA	Hickory	Solid	22.42	3/16"	3/4"	2 1/4 - 3 1/4 - 4 1/4	70.0	1'-5'	48	1076.2	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.87	\$4.72
460 HS-S	NSRWHSB-NAT	Active	A	5-7%	VA	Hickory	Solid	22.42	3/16"	3/4"	2 1/4 - 3 1/4 - 4 1/4	70.0	1'-5'	48	1076.2	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.87	\$4.72
461 HS-S	NSRWHSB-EC	Active	A	5-7%	VA	Hickory	Solid	22.42	3/16"	3/4"	2 1/4 - 3 1/4 - 4 1/4	70.0	1'-5'	48	1076.2	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.87	\$4.72
463 HS-S	NSRWHSB-SC	Active	A	5-7%	VA	Hickory	Solid	22.42	3/16"	3/4"	2 1/4 - 3 1/4 - 4 1/4	70.0	1'-5'	48	1076.2	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.87	\$4.72
464 HS-S	NSRWHSB-MC	Active	A	5-7%	VA	Hickory	Solid	22.42	3/16"	3/4"	2 1/4 - 3 1/4 - 4 1/4	70.0	1'-5'	48	1076.2	25 Year / Lifetime	Yes	No	No	No	No	No	1780	2	\$4.87	\$4.72
467 DS-S	NSRWDSO-BWC	Active	A	5-7%	VA	White Oak	Solid	24.59	3/16"	3/4"	2 1/4 - 3 1/2 - 5	67.0	1'-5'	48	1180.3	25 Year / Lifetime	Yes	No	No	No	No	No	1280	2	\$4.80	\$4.66

Please Note: All prices, board dimensions, box quantities, hardness ratings, are subject to change without prior notice. Verify product specs, dye lot production dates prior to ordering.



10/1/2021

S: 0.00
V:

R: 3

#51 DC S. CALIFORNIA Will Call / Within 100 Miles

Always Use The Color# To Find Product Specs & Pricing

\$119 FLAT SHIPPING RATE IF PRODUCTS ARE SHIPPED FROM THE SAME WAREHOUSE

		Specifications													Warranty		Approved Installations										FOB WH#11	
Color #	SKU#	Status	G R D	Waste Factor	Collection	Species	Type	SF/Box	Wear Layer	Thick	Width	Box WGT	Length	BX / PLT	SF Per PLT	Finish / Structural	Nail	Glue Only	Float	Click	B.G.	R. Heat	Janka	Trm Grp	Term Accounts	CBD Pricing		
482 HS-E	V38E5HSA-BVC	Active	A	4-6%	ID	Acacia	Engineered	36.07	1.2MM	3/8"	5	50.0	1'-4'	36	1298.5	25 Year / 25 Year	Yes	Yes	Yes	No	Yes	No	1750	3	\$2.81	\$2.73		
483 HS-E	V38E5HSA-NAT	Active	A	4-6%	ID	Acacia	Engineered	36.07	1.2MM	3/8"	5	50.0	1'-4'	36	1298.5	25 Year / 25 Year	Yes	Yes	Yes	No	Yes	No	1750	3	\$2.81	\$2.73		
612 WB-E	N12E75WBO-CLW	Active	A	5-10%	RI	Oak	Engineered	23.3	2MM	1/2"	7.5	40.0	1'-6'	36	838.8	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1320	2	\$3.43	\$3.32		
613 WB-E	N12E75WBO-WDW	Active	A	5-10%	RI	Oak	Engineered	23.3	2MM	1/2"	7.5	40.0	1'-6'	36	838.8	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1320	2	\$3.43	\$3.32		
614 WB-E	N12E75WBO-BLS	Active	A	5-10%	RI	Oak	Engineered	23.3	2MM	1/2"	7.5	40.0	1'-6'	36	838.8	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1320	2	\$3.43	\$3.32		
620 WB-E	N12E75WBO-BSB	Active	A	5-7%	RI	White Oak	Engineered	23.3	2MM	1/2"	7.5	40.0	1'-6'	36	838.8	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1320	2	\$3.43	\$3.32		
621 WB-E	N12E75WBO-NWP	Active	A	5-7%	RI	White Oak	Engineered	23.3	2MM	1/2"	7.5	40.0	1'-6'	36	838.8	25 Year / Lifetime	Yes	Yes	Yes	No	Yes	Yes	1320	2	\$3.43	\$3.32		
750 WB-S	BLM525WBO-CBR	Active	A	6-8%	BLW	Red Oak	Solid	22	1/4"	3/4"	5 1/4"	53.0	1'-7'	52	1144	35 Year Res	Yes	No	No	No	No	No	1280	1	\$5.68	\$5.51		
751 WB-S	BLM525WBO-ZIO	Active	A	6-8%	BLW	Red Oak	Solid	22	1/4"	3/4"	5 1/4"	53.0	1'-7'	52	1144	36 Year Res	Yes	No	No	No	No	No	1280	1	\$5.68	\$5.51		
760 CE-S	BLR325CEO-CDB	Active	A	6-8%	BLC	Red Oak	Solid	20	1/4"	3/4"	3 1/4"	58.0	1'-7'	52	1040	35 Year Res	Yes	No	No	No	No	No	1280	1	\$5.33	\$5.17		
761 CE-S	BLR325CEO-HST	Active	A	6-8%	BLC	Red Oak	Solid	20	1/4"	3/4"	3 1/4"	58.0	1'-7'	52	1040	35 Year Res	Yes	No	No	No	No	No	1280	1	\$5.33	\$5.17		
762 CE-S	BLR325CEO-NVJ	Active	A	6-8%	BLC	Red Oak	Solid	20	1/4"	3/4"	3 1/4"	58.0	1'-7'	52	1040	35 Year Res	Yes	No	No	No	No	No	1280	1	\$5.33	\$5.17		
770 CE-S	BLR325CEM-CSC	Active	A	6-8%	BLC	Silver Maple	Solid	20	1/4"	3/4"	3 1/4"	53.0	1'-7'	52	1040	35 Year Res	Yes	No	No	No	No	No	960	2	\$4.34	\$4.21		
771 CE-S	BLR325CEM-FSL	Active	A	6-8%	BLC	Silver Maple	Solid	20	1/4"	3/4"	3 1/4"	53.0	1'-7'	52	1040	35 Year Res	Yes	No	No	No	No	No	960	2	\$4.34	\$4.21		
773 CE-S	BLR325CEM-STW	Active	A	6-8%	BLC	Silver Maple	Solid	20	1/4"	3/4"	3 1/4"	53.0	1'-7'	52	1040	35 Year Res	Yes	No	No	No	No	No	960	2	\$4.34	\$4.21		
780 SM-S	BLP325SMM-NAT	Active	A	4-6%	BLS	Hard Maple	Solid	20	1/4"	3/4"	3 1/4"	60.0	1'-7'	52	1040	35 Year Res	Yes	No	No	No	No	No	1400	2	\$5.19	\$5.03		
790 SM-S	BLP325SMO-NAT	Active	A	4-6%	BLS	Red Oak	Solid	20	1/4"	3/4"	3 1/4"	58.0	1'-7'	52	1040	35 Year Res	Yes	No	No	No	No	No	1280	1	\$5.28	\$5.12		
819 RE-TL	NTCRELO-FTH	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	26.08	V-Groove	13.5MM	6.5	63.0	2'-6'	42	1095.4	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
820 RE-TL	NTCRELO-MBH	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	26.08	V-Groove	13.5MM	6.5	63.0	2'-6'	42	1095.4	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
821 RE-TL	NTCRELO-CSH	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	26.08	V-Groove	13.5MM	6.5	63.0	2'-6'	42	1095.4	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
822 RE-TL	NTCRELO-MTH	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	26.08	V-Groove	13.5MM	6.5	63.0	2'-6'	42	1095.4	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
823 RE-TL	NTCRELO-HBH	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	26.08	V-Groove	13.5MM	6.5	63.0	2'-6'	42	1095.4	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
824 RE-TL	NTCRELO-MTC	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	26.08	V-Groove	13.5MM	6.5	63.0	2'-6'	42	1095.4	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
825 RE-TL	NTCRWLO-WTM	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	14.86	V-Groove	13.5MM	4 1/8 - 5 1/2 - 7	35.4	48"	78	1159.1	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
826 RE-TL	NTCRWLO-MRL	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	14.86	V-Groove	13.5MM	4 1/8 - 5 1/2 - 7	35.4	48"	78	1159.1	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
827 RE-TL	NTCRWLO-GSM	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	14.86	V-Groove	13.5MM	4 1/8 - 5 1/2 - 7	35.4	48"	78	1159.1	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
828 RE-TL	NTCRWLO-HDP	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	14.86	V-Groove	13.5MM	4 1/8 - 5 1/2 - 7	35.4	48"	78	1159.1	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
829 RE-TL	NTCRWLO-SVT	Active	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	14.86	V-Groove	13.5MM	4 1/8 - 5 1/2 - 7	35.4	48"	78	1159.1	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.08		
830 RE-TL	NTCRELO-IVH	New	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	22.97	V-Groove	13.8MM	7.625	54.0	2'-6'	48	1102.6	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.07		
831 RE-TL	NTCRELO-WRS	New	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	22.97	V-Groove	13.8MM	7.625	54.0	2'-6'	48	1102.6	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.07		
832 RE-TL	NTCRELO-CBS	New	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	22.97	V-Groove	13.8MM	7.625	54.0	2'-6'	48	1102.6	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.07		

Please Note: All prices, board dimensions, box quantities, hardness ratings, are subject to change without prior notice. Verify product specs, dye lot production dates prior to ordering.



10/1/2021

S: 0.00
V:

R: 3

#51 DC S. CALIFORNIA Will Call / Within 100 Miles

Always Use The Color# To Find Product Specs & Pricing

\$119 FLAT SHIPPING RATE IF PRODUCTS ARE SHIPPED FROM THE SAME WAREHOUSE

		Specifications														Warranty		Approved Installations							FOB WH#11	
Color #	SKU#	Status	G R D	Waste Factor	Collection	Species	Type	SF/Box	Wear Layer	Thick	Width	Box WGT	Length	BX / PLT	SF Per PLT	Finish / Structural	Nail	Glue Only	Float	Click	B.G.	R. Heat	Janka	Trm Grp	Term Accounts	CBD Pricing
833 RE-TL	NTCRELO-HKW	New	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	22.97	V-Groove	13.8MM	7.625	54.0	2'-6"	48	1102.6	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.07
834 RE-TL	NTCRELO-UPL	New	A	4-6%	EST	Oak (Cushion)	Laminate Black Core	22.97	V-Groove	13.8MM	7.625	54.0	2'-6"	48	1102.6	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	AC4	2	\$2.14	\$2.07
1350 HS-TUF	NTCHSCBA-NAT	Active	A	5-8%	TUFF	Acacia (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	3	\$2.59	\$2.51
1351 HS-TUF	NTCHSCBH-WSB	Active	A	5-8%	TUFF	Hickory (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1352 HS-TUF	NTCHSCBO-STR	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1353 HS-TUF	NTCHSCBO-SMH	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1354 HS-TUF	NTCHSCBH-SC	Active	A	5-8%	TUFF	Hickory (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1360 RE-TUF	NTCRECBO-BDW	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1361 RE-TUF	NTCRECBO-PKA	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1362 RE-TUF	NTCRECBO-LXA	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1363 RE-TUF	NTCRECBO-MDA	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1364 RE-TUF	NTCRECBO-LCA	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1365 RE-TUF	NTCRECBO-FTA	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1366 RE-TUF	NTCRECBH-VBA	Active	A	5-8%	TUFF	Hickory (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1367 RE-TUF	NTCRECBPEO-UNI	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	6	\$2.59	\$2.51
1368 RE-TUF	NTCRECBPEH-FRK	Active	A	5-8%	TUFF	Hickory (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1370 RE-TUF	NTCRECBPEO-COL	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1371 RE-TUF	NTCRECBPEO-LBT	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1372 RE-TUF	NTCRECBPEO-LAF	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1373 RE-TUF	NTCRECBPEO-CAM	Active	A	5-8%	TUFF	Oak (Cushion)	WPC-Waterproof	19.56	20MIL	7.5MM	7.875	32.0	60"	75	1467	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1374 RE-TUF	NTCRECBPEH-PRO	Active	A	5-8%	TUFF	Hickory (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1375 RE-TUF	NTCRECBPEH-BRB	Active	A	5-8%	TUFF	Hickory (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1376 RE-TUF	NTCRECBPEH-MIL	Active	A	5-8%	TUFF	Hickory (Cushion)	WPC-Waterproof	17.35	20MIL	7.5MM	7	30.0	60"	75	1301.3	L. Life / 10 Com	No	Yes	Yes	Yes	Yes	Yes	TUFF	2	\$2.59	\$2.51
1400 WG-RIG	NRCWGPEO-SIE	Active	A	4-6%	EXP	Oak (Cushion)	SPC-Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07
1401 WG-RIG	NRCWGPEO-APP	Active	A	4-6%	EXP	Oak (Cushion)	SPC-Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07
1402 WG-RIG	NRCWGPEO-BRT	Active	A	4-6%	EXP	Oak (Cushion)	SPC-Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07
1403 WG-RIG	NRCWGPEO-KLA	Active	A	4-6%	EXP	Oak (Cushion)	SPC-Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07
1404 WG-RIG	NRCWGPEO-TAC	Active	A	4-6%	EXP	Oak (Cushion)	SPC-Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07
1405 WG-RIG	NRCWGPEO-BGH	Active	A	4-6%	EXP	Oak (Cushion)	SPC-Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07
1406 WG-RIG	NRCWGPEO-SWT	Active	A	4-6%	EXP	Oak (Cushion)	SPC-Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07
1407 WG-RIG	NRCWGPEO-CHS	Active	A	4-6%	EXP	Oak (Cushion)	SPC-Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07

Please Note: All prices, board dimensions, box quantities, hardness ratings, are subject to change without prior notice. Verify product specs, dye lot production dates prior to ordering.



10/1/2021

S: 0.00
V:

Always Use The Color# To Find Product Specs & Pricing

\$119 FLAT SHIPPING RATE IF PRODUCTS ARE SHIPPED FROM THE SAME WAREHOUSE

R: 3

#51 DC S. CALIFORNIA Will Call / Within 100 Miles

		Specifications													Warranty		Approved Installations									FOB WH#11	
Color #	SKU#	Status	G R D	Waste Factor	Collec- tion	Species	Type	SF/Box	Wear Layer	Thick	Width	Box WGT	Length	BX / PLT	SF Per PLT	Finish / Structural	Nail	Glue Only	Float	Click	B.G.	R. Heat	Janka	Trm Grp	Term Accounts	CBD Pricing	
1408 WG-RIG	NRCWGPEO-TET	Active	A	4-6%	EXP	Oak (Cushion)	SPC- Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07	
1409 WG-RIG	NRCWGPEO-BLP	Active	A	4-6%	EXP	Oak (Cushion)	SPC- Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07	
1410 WG-RIG	NRCWGPEO-PKP	Active	A	4-6%	EXP	Oak (Cushion)	SPC- Waterproof	24.02	20MIL	6MM	7-1/4	45.0	60"	60	1441.2	L. Life / 10 Com	No	No	Yes	Yes	Yes	Yes	RIG	2	\$2.14	\$2.07	
1420 WG-RIG	NRCWGO-EPR	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1421 WG-RIG	NRCWGO-ALM	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1422 WG-RIG	NRCWGO-CRL	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1423 WG-RIG	NRCWGO-GSH	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1424 WG-RIG	NRCWGO-FTI	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1425 WG-RIG	NRCWGO-DYN	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1426 WG-RIG	NRCWGO-PBL	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1427 WG-RIG	NRCWGO-LGW	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1428 WG-RIG	NRCWGO-BTM	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1429 WG-RIG	NRCWGO-MTP	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1430 WG-RIG	NRCWGO-SGM	Active	A	4-6%	BC	Oak (Cushion)	SPC- Waterproof	28.84	12MIL	4.5MM	7	44.0	48"	50	1442	L. Life / 7 Com	No	Yes	Yes	Yes	Yes	Yes	RIG	2	\$1.54	\$1.49	
1520 WG-DRY	NDBWGO-EPR	New	A	4-6%	DB	Oak (Cushion)	LVP-Dry Back	37.65	20MIL	2.5MM	7	37.5	48"	40	1506	L. Life / 7 Com	No	Yes	No	No	Yes	Yes	DRY	2	\$1.16	\$1.12	
1521 WG-DRY	NDBWGO-ALM	New	A	4-6%	DB	Oak (Cushion)	LVP-Dry Back	37.65	20MIL	2.5MM	7	37.5	48"	40	1506	L. Life / 7 Com	No	Yes	No	No	Yes	Yes	DRY	2	\$1.16	\$1.12	
1522 WG-DRY	NDBWGO-CRL	New	A	4-6%	DB	Oak (Cushion)	LVP-Dry Back	37.65	20MIL	2.5MM	7	37.5	48"	40	1506	L. Life / 7 Com	No	Yes	No	No	Yes	Yes	DRY	2	\$1.16	\$1.12	
1523 WG-DRY	NDBWGO-GSH	New	A	4-6%	DB	Oak (Cushion)	LVP-Dry Back	37.65	20MIL	2.5MM	7	37.5	48"	40	1506	L. Life / 7 Com	No	Yes	No	No	Yes	Yes	DRY	2	\$1.16	\$1.12	
1524 WG-DRY	NDBWGO-FTI	New	A	4-6%	DB	Oak (Cushion)	LVP-Dry Back	37.65	20MIL	2.5MM	7	37.5	48"	40	1506	L. Life / 7 Com	No	Yes	No	No	Yes	Yes	DRY	2	\$1.16	\$1.12	
1526 WG-DRY	NDBWGO-PBL	New	A	4-6%	DB	Oak (Cushion)	LVP-Dry Back	37.65	20MIL	2.5MM	7	37.5	48"	40	1506	L. Life / 7 Com	No	Yes	No	No	Yes	Yes	DRY	2	\$1.16	\$1.12	
1530 WG-DRY	NDBWGO-SGM	New	A	4-6%	DB	Oak (Cushion)	LVP-Dry Back	37.65	20MIL	2.5MM	7	37.5	48"	40	1506	L. Life / 7 Com	No	Yes	No	No	Yes	Yes	DRY	2	\$1.16	\$1.12	

Please Note: All prices, board dimensions, box quantities, hardness ratings, are subject to change without prior notice. Verify product specs, dye lot production dates prior to ordering.